



Magic Monkey in Universal

MM503CS

Magic Monkey | Granules | Universal


Absorbency: 8 US Gallons | 30 Liters of oil**
5 US Gallons | 19 Liters of water**

Base Fiber: Mineral



Product Code	Color	Format	Weight lbs (kg)	Recycled Content	Quantity	LTL/Pallet	FTL/Pallet
Universal							
MM503CS	Off white	Granular	3 lb (1.3 kg) Dispenser	0%*	6 Jar / box	36	36

Magic Monkey Granules



This product is in a Universal format



This product is always in stock

See this product in action on our website

This lightweight, dry, granular sorbent is safe for people, plants, animals, and food processing facilities. This granular absorbent is best used when poured beside the spill and then worked into the liquid with a stiff bristle broom. The granular will solidify the liquid so it can be easily swept away. Magic Monkey leaves your floors clean, dry, and free of slip hazards.

Key features

- Absorbs liquids of any viscosity and leaves surfaces clean and dry
- Lightweight even when saturated, making it less costly to dispose of than heavier granular sorbents

- Safe for people, plants, animals and food processing facilities or surfaces including concrete, tile and asphalt

Application

Effective on most types of spills including oils, fuels, chemicals, paint, antifreeze, bases, bodily fluids, non-hydrofluoric acids, and many others.

Notes

- DO NOT USE WITH HYDROFLUORIC ACID
- Ensure that disposal of these sorbents complies with all local, state and federal regulations.



* Basis weights and recycled content are ± 5%

** Measures a case/bale using ASTM 726 (long test) with medium viscosity oil and tap water. Statistical average derived from real time production QC data.

Compliance

Related Regulations	Description
29CFR 1910.22(a)(2)	"The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition."
29CFR 1910.120(j)(1)(vii)	"... suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks or ruptures may occur."